

## **TETHER WEIGHT LIMITS**

The following manufacturers have announced that the top tether anchors in their vehicles may be used up to the weight limit specified by the manufacturer of the safety seat: Chrysler (see below for exceptions), Ford (see below for details), Infiniti, Jaguar, Land Rover, Lexus, Maserati, Mini, Nissan, Scion, Subaru, Toyota, and Volvo.

**See below for detailed information from Chrysler and Ford.**



The top tether strap adds significant protection in frontal and side impacts. It should always be used for forward-facing safety seats, if possible (according to manufacturer instructions).

# Chrysler Group – LATCH Anchorage Weight Limits

*Updated: August 8, 2013*

For all Chrysler Group LLC vehicles, the LATCH system (lower anchors and top tether) can be used to secure a child restraint until the combined weight of the child and the child restraint is 65 lbs (29.5 kg).

**Except for the vehicles listed below**, the seat belt and tether anchor can be used together to secure a child restraint until the combined weight of the child and the child restraint is 65 lbs (29.5 kg). Use the seat belt without the tether once the combined weight is more than 65 lbs (29.5 kg).

**For the following vehicles**, the seat belt and tether anchor can be used together to secure a child restraint up to the maximum child weight allowed by the child restraint manufacturer:

Make	Model	Model Years
Chrysler	200 Sedan (not Convertible)	2011+
	300 / 300C	2006+
	Sebring Sedan (not Convertible)	2007 – 2010
	Town & Country	2001+
	Voyager / Grand Voyager (including Cargo Van)	2001 – 2008
Dodge	Avenger	2008+
	Caliber	2007 – 2012
	Caravan / Grand Caravan (including Cargo Van)	2001+
	Challenger	2008+
	Charger	2006+
	Dakota Pickup Trucks	2005 – 2011
	Dart	2013+
	Durango	2011+
	Journey	2009+
	Viper	2013+
Fiat	500 / 500e	2012+
	500L	2014+
Jeep	Cherokee	2014+
	Commander	2006 – 2010
	Compass	2007+
	Grand Cherokee	2005+
	Patriot	2007+
	Wrangler / Wrangler Unlimited	2007+
Dodge/Ram	1500 Pickup Trucks	2009+
	2500/3500 Pickup Trucks	2010+
	3500/4500/5500 Chassis Cab Trucks	2011+
	C/V Tradesman (Cargo Van)	2012+

**Updated: August 2013**

Ford LATCH and Tether  
**Ford Tether and LATCH Limits, Model Year 2014 and later**

Restraint Type	Combined child and seat weight	Use any attachment method as indicated below by X				
		LATCH (lower anchors and top tether anchor)	LATCH (lower anchors only)	Safety belt and top tether anchor	Safety belt and LATCH (lower anchors and top tether anchor)	Safety belt only
Rear facing child seat	Up to 65 lb (29 kg)		<b>X</b>			<b>X</b>
Rear facing child seat	Over 65 lb (29 kg)					<b>X</b>
Forward facing child seat	Up to 65 lb (29 kg)	<b>X</b>		<b>X</b>	<b>X</b>	
Forward facing child seat	Over 65 lb (29 kg)			<b>X</b>	<b>X</b>	

**Ford Tether and LATCH Limits, Model Year 2013 and earlier**

Restraint Type	Child Weight	Use any attachment method as indicated below by X				
		LATCH (lower anchors and top tether anchor)	LATCH (lower anchors only)	Safety belt and top tether anchor	Safety belt and LATCH (lower anchors and top tether anchor)	Safety belt only
Rear facing child seat	Up to 48 lb (21 kg)		X			X
Forward facing child seat	Up to 48 lb (21 kg)	X		X	X	
Forward facing child seat	Over 48 lb (21 kg)			X	X	